

3OPC1.8

 ASD XH40S	MODEL		P2		DN	Q	DELIVERY n≈2850r/min												ЦЕНЫ	
	1~ 220V/240V	KW	HP	M³/h L/min			0	0.3	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	Монтажная	Розница		
 Capacitor inside	3OPC1.8/7	0.18	0.25	1¼"	H (M)	30	29	28	25	24	23	20	18	12	7					
	3OPC1.8/10	0.25	0.33	1¼"		42	41	40	36	35	33	29	26	18	10					
	3OPC1.8/14	0.37	0.5	1¼"		59	57	56	51	48	46	41	37	25	14	17400	36000			
	3OPC1.8/20	0.55	0.75	1¼"		84	82	80	73	70	66	59	53	36	20	18600	44600			
	3OPC1.8/27	0.75	1	1¼"		113	110	108	98	94	89	79	71	48	27	22400	52900			
	3OPC1.8/37	1.1	1.5	1¼"		154	152	148	135	129	122	109	98	67	37	26400	61900			
	3OPC1.8/47	1.5	2	1¼"		196	193	188	171	164	155	138	125	85	47	35150	71500			

3OPC2.5

 ADD 30405 Collector inside	MODEL	P2		DN	Q M³/h L/min	DELIVERY n≈2850r/min														ЦЕНЫ	
	1~ 220V/240V	KW	HP			0	0.3	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3.0	3.3	3.6	Монтажная	Розница	
	30PC2.5/5	0.18	0.25	1¼"	H (M)	24	23	22	21	20	19	18	17	16	14	12	9	8			
	30PC2.5/7	0.25	0.33	1¼"		32	31	30	29	28	27	26	25	22	19	17	13	10			
	30PC2.5/10	0.37	0.5	1¼"		44	43	42	41	40	39	37	35	31	27	24	18	15			
	30PC2.5/15	0.55	0.75	1¼"		65	64	63	61	60	58	55	52	46	41	36	27	22			
	30PC2.5/20	0.75	1	1¼"		87	85	84	82	80	78	74	70	62	54	48	37	30	23000	62000	
	30PC2.5/28	1.1	1.5	1¼"		122	120	118	115	113	109	104	90	87	76	67	51	42	26600	68500	
	30PC2.5/36	1.5	2	1¼"		156	154	152	148	145	140	133	116	112	98	86	65	54	32500	76900	

3OPC4

 304 SS	MODEL	P2		DN	Q	DELIVERY n≈2850r/min								ЦЕНЫ			
	1~	KW	HP			M³/h	0	0.6	1.2	1.8	2.4	3.0	3.6	4.2	4.8	Монтажная	Розница
	220V/240V						L/min	0	10	20	30	40	50	60	70		
 Capacitor inside	3OPC4/7	0.25	0.33	1¼"	H (M)	24	23	22	20	18	17	15	13	9			
	3OPC4/9	0.37	0.5	1¼"		31	30	28	26	23	22	19	16	12			
	3OPC4/14	0.55	0.75	1¼"		48	46	43	41	36	34	29	25	18			
	3OPC4/19	0.75	1	1¼"		65	63	59	55	49	46	40	34	25	19200	58500	
	3OPC4/26	1.1	1.5	1¼"		88	86	80	75	68	62	55	47	34	25400	68900	
	3OPC4/35	1.5	1	1¼"		119	116	109	101	91	84	74	63	46	28800	68900	

3OPC5

  Capacitor inside	MODEL	P2		DN	Q	DELIVERY n≈2850r/min												ЦЕНЫ	
	1~	KW	HP			0	0.6	1.2	1.8	2.4	3.0	3.6	4.2	4.8	5.4	6	Монтажная	Розница	
	220V/240V			M³/h L/min		0	10	20	30	40	50	60	70	80	90	100			
	3OPC5/4	0.25	0.33	1¼"		15	14	13	12	11	10	9	8	7	6	5			
	3OPC5/7	0.37	0.5	1¼"		26	25	24	23	22	21	20	19	18	16	13			
	3OPC5/9	0.55	0.75	1¼"		32	31	30	29	28	27	26	25	23	21	17			
	3OPC5/13	0.75	1	1¼"		47	46	44	43	42	40	33	36	34	30	25			
	3OPC5/19	1.1	1.5	1¼"		68	66	64	63	61	59	55	53	49	44	36	26800	61800	
3OPC5/26	1.5	2	1¼"	94	91	88	86	83	81	75	73	68	60	49	27900	74600			

4SR2

 Thickness of pipe could be chosen: screw outside 1.0mm; screw inside 1.45mm.		MODEL		P2		DN	Q	DELIVERY n≈2850r/min								ЦЕНЫ	
		1~	3~	KW	HP			M³/h	0	0.6	1.2	1.8	2.4	3.0	3.6	Монтажная	Розница
		220V/240V	380V/415V														
		4SRM2/7	4SR2/7	0.37	0.5	1¼"	H (M)	45	43	41	34	27	19	10			
		4SRM2/10	4SR2/10	0.55	0.75	1¼"		65	62	59	49	39	28	15			
		4SRM2/13	4SR2/13	0.75	1	1¼"		84	80	76	63	50	36	19			
		4SRM2/20	4SR2/20	1.1	1.5	1¼"		130	124	118	98	78	56	30	38900	66400	
		4SRM2/27	4SR2/27	1.5	2	1¼"		175	167	159	132	105	75	40	45500	78600	
		4SRM2/39	4SR2/39	2.2	3	1¼"		253	242	230	191	152	109	58			

 Thickness of pipe could be chosen: screw outside 1.0mm; screw inside 1.45mm		4SR4																Цены	
		MODEL		P2		DN	Q	DELIVERY n≈2850r/min											
		1~ 220V/240V	3~ 380V/415V	KW	HP			M³/h L/min	0	1.2	1.8	2.4	3.0	3.6	4.2	4.8	5.4	6	Монтажная
							0	20	30	40	50	60	70	80	90	100			
 Three bars	4SRM4/5	4SR4/5	0.37	0.5	1½"	H (M)	32	29	27	26	24	22	19	17	14	10			
	4SRM4/7	4SR4/7	0.55	0.75	1½"		45	41	38	37	34	30	27	23	19	14			
	4SRM4/9	4SR4/9	0.75	1	1½"		57	53	50	47	44	39	35	30	24	18			
	4SRM4/14	4SR4/14	1.1	1.5	1½"		90	82	77	74	68	61	54	47	38	28	41000	62000	
	4SRM4/18	4SR4/18	1.5	2	1½"		115	106	100	95	88	79	70	61	48	36	59700	76100	
	4SRM4/26	4SR4/26	2.2	3	1½"		173	159	150	143	132	118	105	91	73	54	61000	87900	
	4SRM4/35	4SR4/35	3	4	1½"		225	206	194	185	171	154	136	119	94	70	76700	126800	
	4SRM4/46	4SR4/46	4	5.5	1½"		308	283	267	254	235	211	187	163	129	96	93000	156000	
	4SRM4/60	4SR4/60	5.5	7.5	1½"	405	385	370	350	325	300	270	235	200	150	110000	184000		

4SR6																	
MODEL		P2		DN	Q	DELIVERY n≈2850r/min										ЦЕНЫ	
1~	3~	KW	HP			M³/h L/min	0	1.2	2.4	3.6	4.8	6	7.2	8.4	9.6	Монтажная	Розница
220V/240V	380V/415V					0	20	40	60	80	100	120	140	160			
4SRM6/7	4SR6/7	0.75	1	1½"	H (M)	42	40	37	35	30	27	23	17	6			
4SRM6/10	4SR6/10	1.1	1.75	1½"		60	58	54	50	43	39	33	25	9			
4SRM6/14	4SR6/14	1.5	2.0	1½"		84	81	75	70	60	54	46	35	12			
4SRM6/20	4SR6/20	2.2	3.0	1½"		120	116	108	100	86	78	66	50	18			
4SRM6/27	4SR6/27	3.0	4.0	1½"		162	156	145	135	116	105	89	67	24	70900	117000	
4SRM6/36	4SR6/36	4.0	5.5	1½"		216	208	194	180	154	140	118	90	32	83600	139000	
	4SR6/49	5.5	7.5	1½"		294	284	264	245	210	191	162	122	44	12300	187000	
	4SR6/54	7.5	10	1½"		324	312	290	270	231	210	178	134	48			



Three bars



Thickness of pipe could be chosen: screw outside 1.0mm; screw inside 1.45mm

		4SR8															ЦЕНЫ		
		MODEL		P2		DN	Q	DELIVERY n≈2850r/min											
		1~	3~	KW	HP			M³/h L/min	0	2.4	3.6	4.8	6	7.2	8.4	9.6	10.8	12	Монтажная
		220V/240V	380V/415V			0	40		60	80	100	120	140	160	180	200			
 Thickness of pipe could be increased, screw outside 1.0mm; screw inside 1.0mm.	4SRM8/4	4SR8/4	0.75	1	2"	H (M)	25	22	22	21	20	19	17	16	13	9			
	4SRM8/6	4SR8/6	1.1	1.5	2"		37	34	33	31	30	28	26	24	20	14			
	4SRM8/8	4SR8/8	1.5	2.0	2"		80	45	44	42	40	38	35	32	27	18			
	4SRM8/13	4SR8/13	2.2	3.0	2"		81	74	71	68	66	62	57	52	44	30			
	4SRM8/17	4SR8/17	3.0	4.0	2"		106	96	93	90	86	81	74	68	57	39	56000	97000	
	4SRM8/23	4SR8/23	4.0	5.5	2"		143	131	126	121	117	110	101	92	78	54	75000	125000	
		4SR8/32	5.5	7.5	2"		200	182	176	165	163	153	140	128	108	75	95000	158000	
 Three bars		4SR8/41	7.5	10	2"		256	233	225	216	208	196	179	164	138	96	105000	165000	

4SR10																	
MODEL		P2		DN	Q	DELIVERY n≈2850r/min										ЦЕНЫ	
1~	3~	KW	HP			M³/h L/min	0	1.8	3.6	5.4	7.2	9	10.8	12.6	14.4	Монтажная	Розница
220V/240V	380V/415V				H (M)	0	30	60	90	120	150	180	210	240			
4SRM10/7	4SR10/7	1.1	1.5	2"		39	37	35	32	28	23	19	13	6			
4SRM10/10	4SR10/10	1.5	2.0	2"		56	53	50	46	40	34	28	19	9			
4SRM10/14	4SR10/14	2.2	3.0	2"		78	74	70	64	56	47	39	26	12			
4SRM10/18	4SR10/18	3.0	4.0	2"		100	95	90	82	72	61	50	34	16			
4SRM10/24	4SR10/24	4.0	5.5	2"		134	127	120	110	96	81	67	45	21	73000	123000	
	4SR10/32	5.0	7.5	2"		179	169	160	147	128	108	89	60	28	96000	160000	
	4SR10/39	7.5	10	2"		218	205	105	179	156	131	108	73	34	117000	196000	



Three bars



Thickness of pipe could be chosen: screw outside 1.0mm; screw inside 1.6mm

 Thickness of pipe could be chosen: screw outside 1,6mm; screw inside 1,45mm  Three bars		4SR12															ЦЕНЫ			
		MODEL		P2		DN	Q	DELIVERY n≈2850r/min											Монтажная	Розница
		1~	3~	KW	HP			M³/h	0	1.8	3.6	5.4	7.2	9.0	10.8	12.6	14.4	16.2		
		220V/240V	380V/415V			L/min		0	30	60	90	120	150	180	210	240	270			
		4SRM12/7	4SR12/7	1.5	2.0	2"		42	41	39	36	32	29	24	19	11	6			
		4SRM12/10	4SR12/10	2.2	3.0	2"		61	59	56	52	47	42	35	28	17	9			
		4SRM12/14	4SR12/14	3.0	4.0	2"		85	82	78	72	65	58	49	39	23	12			
4SRM12/19	4SR12/19	4.0	5.5	2"	115	112		106	98	89	79	66	53	32	17	72000	111000			
	4SR12/26	5.5	7.5	2"	158	153	145	135	122	109	91	72	44	23	83000	138000				
	4SR12/33	7.5	10	2"	200	194	184	171	154	138	115	91	55	29	101000	167800				

4SR16



MODEL		P2		DN	Q	DELIVERY n=2850r/min								ЦЕНЫ		
1~	3~	KW	HP			M³/h	0	3	6	9	12	15	18	21	Монтажная	Розница
220V/240V	380V/415V					L/min	0	50	100	150	200	250	300	350		
4SRM16/4	4SR16/4	1.1	1.5	2"	H (M)	23	22	21	19	16	15	10	5			
4SRM16/6	4SR16/6	1.5	2	2"		35	34	32	29	24	22	15	8			
4SRM16/9	4SR16/9	2.2	3	2"		52	51	47	43	36	33	22	11			
4SRM16/12	4SR16/12	3	4	2"		70	69	63	57	48	44	29	15			
4SRM16/15	4SR16/15	4	5.5	2"		87	86	78	71	60	55	36	19			
	4SR16/20	5.5	7.5	2"		116	115	105	95	80	74	48	25			
	4SR16/25	7.5	10	2"		145	143	131	119	100	93	60	31			
	4SR16/30	7.5	10	2"		175	165	150	139	120	104	72	50	141400	210000	

4SH16



MODEL		P2		DN	Q	DELIVERY n≈2850r/min								ЦЕНЫ		
3~		KW	HP			M³/h	0	3	6	9	12	15	18	21	Монтажная	Розница
380V/415V						L/min	0	50	100	150	200	250	300	350		
4SH16/4		1.1	1.5	2"	H (M)	23	22	21	19	16	15	10	5			
4SH16/6		1.5	2	2"		35	34	32	29	24	22	15	8			
4SH16/9		2.2	3	2"		52	51	47	43	36	33	22	11			
4SH16/12		3	4	2"		70	69	63	57	48	44	29	15			
4SH16/15		4	5.5	2"		87	86	78	71	60	55	36	19			
4SH16/20		5.5	7.5	2"		116	115	105	95	80	74	48	25			
4SH16/25		7.5	10	2"		145	143	131	119	100	93	60	31			
4SH16/30		7.5	10	2"		175	165	150	139	120	104	72	50	65000	95000	

60PC18



MODEL	P2		DN	Q	DELIVERY n≈2850r/min									ЦЕНЫ	
3~ 380V/415V	KW	HP			M³/h L/min	0	9	12	15	18	21	24	27	Монтажная	Розница
						0	150	200	250	300	350	400	450		
60PC18/7	5.5	7.5	3"	H (M)	103	90	83	74	64	50	36	21	110000	180000	
60PC18/9	7.5	10	3"		132	115	106	95	82	65	47	27	116000	186000	
60PC18/11	9.2	12.5	3"		162	141	130	117	100	79	57	33	125000	210000	
60PC18/13	11	15	3"		191	166	153	138	118	94	68	39	130000	220000	
60PC18/15	13	17.5	3"		220	192	177	159	136	108	78	45	140000	251000	
60PC18/18	15	20	3"		264	230	212	191	164	129	94	54	155000	281000	
60PC18/22	18.5	25	3"		323	282	260	233	200	158	114	66	186000	310000	
60PC18/26	22	30	3"		382	333	307	276	237	197	135	78	249000	355000	
60PC18/30	26	35	3"		441	384	354	318	273	216	156	90	272000	420000	

60PC30



MODEL		P2		DN	Q	DELIVERY n≈2850r/min								ЦЕНЫ	
3~ 380V/415V	KW	HP	M³/h L/min			0	10	15	20	25	30	35	40	Монтажная	Розница
						0	167	250	333	417	500	583	667		
60PC30/5	5.5	7.5	3"	H (M)	71	62	59	54	49	41	31	19			
60PC30/7	7.5	10	3"		99	87	82	75	69	57	43	27	115000	190000	
60PC30/9	9.2	12.5	3"		128	111	106	97	88	74	46	34	120000	215000	
60PC30/11	11	15	3"		156	136	130	119	108	90	68	42	130000	230000	
60PC30/13	13	17.5	3"		185	161	153	140	127	107	81	49	140000	245000	
60PC30/15	15	20	3"		213	186	177	162	147	123	93	57	150000	265000	
60PC30/18	18.5	25	3"		255	223	212	194	176	147	111	68	190000	300000	
60PC30/21	22	30	3"		298	260	248	227	206	172	130	90	246000	390000	
60PC30/24	26	35	3"		340	297	283	259	235	197	149	91	273000	415000	

60PC45



MODEL		P2		DN	Q	DELIVERY n≈2850r/min								ЦЕНЫ	
3~ 380V/415V	KW	HP	M³/h L/min			0	24	30	36	42	48	54	60	Монтажная	Розница
						0	400	500	600	700	800	900	1000		
60PC45/5	7.5	10	3"	H (M)	71	57	53	47	42	35	26	18			
60PC45/6	9.2	12.5	3"		88	69	63	57	50	42	31	21			
60PC45/7	11	15	3"		99	80	74	66	58	49	36	25			
60PC45/8	13	17.5	3"		114	91	84	75	67	56	42	28	134000	245000	
60PC45/9	15	20	3"		128	103	95	85	75	63	47	32			
60PC45/10	18.5	25	3"		142	114	105	94	83	72	52	36	184000	340000	
60PC45/12	22	30	3"		170	137	127	113	100	84	63	43	235000	390000	
60PC45/14	26	35	3"		200	160	147	132	116	98	72	50	261000	425000	